

Printing date 07/13/2022

Reviewed on 07/13/2022

1 Identification

- · Product identifier: C101-A
- · Trade name: CANTESCO® SOLVENT CLEANER C101 STANDARD
- · Item number(s): C101-A
- SDS Number: 12
- UPC bar code(s): 699913-10385
- · Application of the substance / the mixture SOLVENT CLEANER
- Manufacturer/Supplier: WWW.CANTESCO.COM

USA ADDRESS: KEMPER SYSTEM AMERICA, INC. 1200 NORTH AMERICA DR, WEST SENECA, NY 14224 PH (716) 558-2971

CANADIAN ADDRESS: ASTARAS CANADA, INC. 4-7075 EDWARDS BLVD MISSISSAUGA, ONTARIO, L5S 1Z2 PH (905) 624-5463

- **Information department:** Tel: (716) 558-2971 ext. 228 www.cantesco.com
- Emergency telephone number: ChemTrec (800) 424-9300 / 1-(703)-741-5970 Canada only: CANUTEC (Call collect) (613) 996-6666

2 Hazard identification

Flammable Aerosols - Category 1	H222-H229	Extremely flammable aerosol. Pressurized container: may burst if heated.
GHS04 Gas cylinder		
Gases Under Pressure - Compressed Gas	H280	Contains gas under pressure; may explod if heated.
GHS08 Health hazard		
Specific Target Organ Toxicity - Single Exposure - Category 1	H370	Causes damage to organs.

Trade name: CANTESCO® SOLVENT CLEANER – C101 STANDARD

Printing date 07/13/2022

Reviewed on 07/13/2022

(Contd. of page 1) Eye Irritation - Category 2A H319 Causes serious eye irritation. Specific Target Organ Toxicity - Single Exposure -H336 May cause drowsiness or dizziness. Category 3 · Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Signal word: Danger · Hazard-determining components of labeling: propan-2-ol acetone butanone Hazard statements: H222-H229 Extremely flammable aerosol. Contains gas under pressure; may explode if heated. H280 H319 Causes serious eye irritation. H370 Causes damage to organs. May cause drowsiness or dizziness. H336 · Precautionary statements: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P260 Do not breathe mist/vapors/spray. P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection/face protection. P304+P312 IF INHALED: Call a doctor if you feel unwell. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P311 IF exposed or concerned: Call a poison center/doctor. P337+P313 If eye irritation persists: Get medical advice/attention. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Information pertaining to particular dangers for man and environment: · NFPA ratings (scale 0 - 4): Health = 2Fire = 4Reactivity = 0

3 Composition/Information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® SOLVENT CLEANER – C101 STANDARD

(Contd. of page Dangerous components:		
0	Distillates (petroleum), hydrotreated light	30-60% w/w *
68476-86-8	Petroleum gases, liquefied, sweetened	10-30% w/w '
67-63-0	propan-2-ol	≥10-<20% w/w
67-64-1	acetone	10% w/w
78-93-3	butanone	3-7% w/w *
108-65-6	2-methoxy-1-methylethyl acetate	1-5% w/w *

* Actual concentration ranges are withheld as a trade secret.

4 First-aid measures

- · General information: Symptoms of poisoning may even occur after several hours.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

· After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.

- After swallowing: If swallowed, do not induce vomiting. Get medical attention right away.
- Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed:
- No further relevant information available.

5 Fire-fighting measures

• Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture: No further relevant information available.
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- <u>Personal precautions, protective equipment and emergency procedures:</u> Wear protective equipment. Keep unprotected persons away.
- Environmental precautions:
- Do not allow product to reach sewage system or any water course.
- Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

- <u>Methods and material for containment and cleaning up:</u> Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Do not flush with water or aqueous cleansing agents

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

CA

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® SOLVENT CLEANER – C101 STANDARD

(Contd. of page 3)

See Section 13 for disposal information.

7 Handling and storage

· Handling

- · Precautions for safe handling:
- Ensure precautions are taken to eliminate potential sources of ignition during use. It is recommended to use static grounding and bonding equipment to eliminate static problems. Additionally, these products should never be applied on or near live circuits or energized equipment.
- Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.
- [•] Information about protection against explosions and fires:
- Do not spray on a naked flame or any incandescent material.
- Keep ignition sources away Do not smoke.
- Protect against electrostatic charges.
- Keep respiratory protective device available.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · Storage
- · Requirements to be met by storerooms and receptacles:
- Store in a cool location.

Observe official regulations on storing packagings with pressurized containers.

- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.
- Do not gas tight seal receptacle.

Store in cool, dry conditions in well sealed receptacles.

- Protect from heat and direct sunlight.
- **Specific end use(s):** No further relevant information available.

8 Exposure controls/ Personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Components	· Components with limit values that require monitoring at the workplace:	
64742-47-8 Di	64742-47-8 Distillates (petroleum), hydrotreated light	
EL (Canada)	TWA: 200 mg/m ³ Skin	
67-63-0 propa	in-2-ol	
EL (Canada)	STEL: 400 ppm TWA: 200 ppm	
EV (Canada)	STEL: 400 ppm TWA: 200 ppm	
PEL (USA)	TWA: 980 mg/m ³ , 400 ppm	
REL (USA)	STEL: 1225 mg/m ³ , 500 ppm TWA: 980 mg/m ³ , 400 ppm	
TLV (USA)	STEL: 400 ppm TWA: 200 ppm BEI, A4	
	(Contd. on page 5)	

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® SOLVENT CLEANER – C101 STANDARD

(Contd. of page 4)

I'WA: 250 ppm EV (Canada) STEL: 750 ppm TWA: 500 ppm PEL (USA) TWA: 500 ppm REJ. (USA) TWA: 500 ppm TWA: 50 ppm TWA: 50 ppm EU (Canada) STEL: 88 mg/m ² , 300 ppm TWA: 500 ppm/m ² , 200 ppm PEU (USA) STEL: 88 smg/m ² , 300 ppm TWA: 500 mg/m ² , 200 ppm PEU (USA) STEL: 88 smg/m ² , 300 ppm TWA: 500 mg/m ² , 200 ppm BEL (USA) STEL: 88 smg/m ² , 200 ppm BEL (USA) STEL: 300 ppm BEI (USA) STEL: 75 ppm TWA: 50 ppm VC (canada) STEL: 75 ppm TWA: 50 ppm VC (canada) STEL: 75 ppm TWA: 50 ppm VPC (canada) STEL: 75 ppm TWA: 50 ppm Medium: urine Time: end of shift at end of workweek	67-64-1 aceto		
TWA: 500 ppm PEL (USA) TWA: 500 mg/m ² , 250 ppm TLV (USA) STEL: 500 ppm TWA: 250 ppm TWA: 250 ppm 78-93-3 butanone TEL: 100 ppm TWA: 250 ppm TWA: 250 ppm V(Canada) STEL: 100 ppm TWA: 500 pg/m ² , 200 ppm TWA: 500 pg/m ² , 200 ppm EV (Canada) STEL: 885 mg/m ² , 300 ppm TWA: 500 mg/m ² , 200 ppm TWA: 500 pg/m ² , 200 ppm PEL (USA) STEL: 885 mg/m ² , 300 ppm TVA: 500 pg/m ² , 200 ppm TWA: 500 ppm TVA: 500 pg/m ² , 200 ppm TWA: 500 ppm TVA: 500 ppm TWA: 500 ppm TVA: 500 ppm TWA: 500 ppm EV (Canada) STEL: 75 ppm TWA: 50 ppm TWA: 50 ppm VEL (USA) TWA: 50 ppm VEL (USA) TWA: 50 ppm Tugerdients with biological limit values: 67-63-0 propan-2-0 BEI (USA) A mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) 78-93-3 butanone BEI (USA) 2 mg/L Medium: urine Time: end of shift </td <td>EL (Canada)</td> <td>STEL: 500 ppm TWA: 250 ppm</td> <td></td>	EL (Canada)	STEL: 500 ppm TWA: 250 ppm	
REL (USA) TWA: 590 mg/m², 250 ppm TLV (USA) STEL: 500 ppm TWA: 250 ppm A4, BEI 78-93-3 buta= EL (Canada) STEL: 100 ppm TWA: 50 ppm EV (Canada) STEL: 885 mg/m², 300 ppm TWA: 590 mg/m², 200 ppm REL (USA) STEL: 885 mg/m², 300 ppm TWA: 590 mg/m², 200 ppm REL (USA) STEL: 885 mg/m², 300 ppm TWA: 590 mg/m², 200 ppm TWA: 500 pg/m², 200 ppm EL (Canada) STEL: 75 ppm TWA: 500 ppm TWA: 50 ppm EV (Canada) STEL: 75 ppm TWA: 50 ppm EV (Canada) TWA: 700 mg/m³, 50 ppm WEEL (USA) TWA: 50 ppm Turgredients with biological limit values: 67-63-0 propan-2-01 BEI (USA) 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) 67-64-1 acc BEI (USA) 25 mg/L Medium: urine Time: end of shift Parameter: Methyl ethyl ketone (nonspecific) 78-93-3 buta=one BEI (USA) 25 mg/L Medium: urine Time: end of shift Parameter: Methyl ethyl ketone (nonspecific) Additional information: The lists that were valid during the creation were used as basis. Personal protective equipment General protective equipment General protective equipment Keep away from foodstuffs, beverages and feed. Inmediately remove all solied and contaminated clothing.	EV (Canada)		
TLV (USA) STEL: 500 ppm TWA: 250 ppm 78-93-3 buta====================================	PEL (USA)	TWA: 2400 mg/m ³ , 1000 ppm	
TWA: 250 ppm A4, BEI 78-93-5 butanone EL (Canada) STEL: 100 ppm TWA: 50 ppm EV (Canada) STEL: 885 mg/m³, 300 ppm TWA: 590 mg/m³, 200 ppm PEL (USA) TWA: 590 mg/m³, 200 ppm REI (USA) STEL: 885 mg/m³, 300 ppm TWA: 590 mg/m³, 200 ppm TWA: 500 mg/m³, 200 ppm TLV (USA) STEL: 380 mg/m³, 200 ppm TWA: 200 ppm BEI 108-65-6 2-methoxy-1-methylethyl acetate EL (Canada) STEL: 75 ppm TWA: 200 ppm BEI EV (Canada) STEL: 75 ppm TWA: 200 ppm TWA: 20 ppm EV (Canada) STEL: 75 ppm Ingredients with biological limit values: 67-63-0 propan-2-0I BEI (USA) 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) 78-93-01 BEI (USA) 25 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific) 78-93-01 BEI (USA) 25 mg/L Medium: urine Time: end of shift <tr< td=""><td>REL (USA)</td><td>TWA: 590 mg/m³, 250 ppm</td><td></td></tr<>	REL (USA)	TWA: 590 mg/m ³ , 250 ppm	
A4, BEI 78-93-3 butanone EL (Canada) STEL: 100 ppm TWA: 50 ppm EV (Canada) STEL: 885 mg/m, 300 ppm TWA: 500 mg/m ² , 200 ppm REL (USA) STEL: 885 mg/m ² , 300 ppm TWA: 500 mg/m ² , 200 ppm REL (USA) STEL: 885 mg/m ² , 300 ppm TWA: 500 mg/m ² , 200 ppm TWA: 500 mg/m ² , 200 ppm TWA: 500 pg/m ² , 200 ppm TWA: 500 pg/m TWA: 500 pg/m TWA: 50 ppm TWA: 50 ppm EV (Canada) STEL: 75 ppm TWA: 50 ppm EV (Canada) STWA: 50 ppm EV (Canada) TWA: 50 ppm Ingredients with biological limit values: 67-63-0 propan-2-ol BEI (USA) 40 mg/L <td< td=""><td>TLV (USA)</td><td>STEL: 500 ppm</td><td></td></td<>	TLV (USA)	STEL: 500 ppm	
EL (Canada) STEL: 100 ppm TWA: 50 ppm EV (Canada) STEL: 885 mg/m³, 300 ppm TWA: 590 mg/m³, 200 ppm PEL (USA) TWA: 590 mg/m³, 200 ppm TWA: STEL: 885 mg/m³, 300 ppm TWA: 500 mg/m³, 200 ppm TWA: 590 mg/m³, 200 ppm TUV (USA) STEL: 885 mg/m³, 200 ppm TWA: 200 ppm BEI 108-65-6 2-methoxy-1-methylethyl acetate EL (Canada) STEL: 75 ppm TWA: 50 ppm EV (Canada) STEL: 75 ppm TWA: 50 ppm EV (Canada) TWA: 700 mg/m³, 50 ppm WEEL (USA) TWA: 50 ppm EV (Canada) TWA: 50 ppm EV (Canada) TWA: 50 ppm BEI (USA) TWA: 50 ppm Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) 67-63-1 acetone BEI (USA) 25 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific) 78-93-3 butanone BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Methyl ethyl ketone (nonspecific) 78-93-1 acetone 100 mg/L Medium: urine Time: end of shift Parameter: Methyl ethyl ketone (nonspecific) 78-93-1 acetone of shift Parameter: Methyl ethyl ketone (nonspecific) 100 mg/L Medium: urine Time: end of shift Parameter: Methyl ethyl ketone (nonspecific) 78-93-1			
TWA: 50 ppm EV (Canada) STEL: 885 mg/m³, 300 ppm TWA: 590 mg/m³, 200 ppm REL (USA) STEL: 885 mg/m³, 300 ppm TWA: 590 mg/m³, 200 ppm TWA: 590 mg/m³, 200 ppm TWA: 590 mg/m³, 200 ppm TWA: 500 ppm TWA: 500 ppm TWA: 500 ppm TWA: 500 ppm BEI 108-65-6 2-methoxy-1-methylethyl acetate EL (Canada) STEL: 75 ppm TWA: 50 ppm EV (Canada) TWA: 50 ppm EV (Canada) TWA: 50 ppm EV (Canada) TWA: 50 ppm Ingredients with biological limit values: 67-63-0 propan-2-01 BEI (USA) Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) 78-93-3 butamole BEI (USA) 25 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific) 78-93-3 butamole BEI (USA) 2 mg/L	78-93-3 buta	none	
TWA: 590 mg/m³, 200 ppm PEL (USA) TWA: 590 mg/m², 200 ppm REL (USA) STEL: 885 mg/m³, 300 ppm TWA: 590 mg/m², 200 ppm TWA: 590 mg/m², 200 ppm BEI STEL: 300 ppm BEI TWA: 200 ppm BEI STEL: 75 ppm TWA: 50 ppm TWA: 50 ppm EV (Canada) STEL: 75 ppm TWA: 50 ppm TWA: 50 ppm EV (Canada) TWA: 270 mg/m³, 50 ppm WEEL (USA) TWA: 50 ppm Ingredients with biological limit values: 67-63-0 propan-2-ol BEI (USA) 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) 67-64-1 acetone BEI (USA) 25 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific) 78-93-3 butanone BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Methyl ethyl ketone (nonspecific) 78-93-3 butanone BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Methyl ethyl ketone (nonspecific) 78-93-90 prote	EL (Canada)		
PEL (USA) TWA: 590 mg/m³, 200 ppm REL (USA) STEL: 885 mg/m³, 300 ppm TWA: 590 mg/m³, 200 ppm TWA: 500 ppm TWA: 200 ppm BEI 108-65-6 2	EV (Canada)		
TWA: 590 mg/m³, 200 ppm TLV (USA) STEL: 300 ppm BEI 108-65-6 2-methoxy-1-methylethyl acetate EL (Canada) STEL: 75 ppm TWA: 50 ppm EV (Canada) TWA: 270 mg/m³, 50 ppm WEEL (USA) TWA: 50 ppm Tagredients with biological limit values: 67-30 propan-2-ol BEI (USA) BEI (USA) Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) 67-64-1 acetone BEI (USA) BEI (USA) 25 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific) 78-93 - 3 butanoe BEI (USA) BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific) 78-93 - 3 butanoe BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Methyl ethyl ketone (nonspecific) <td>PEL (USA)</td> <td>TWA: 590 mg/m³, 200 ppm</td> <td></td>	PEL (USA)	TWA: 590 mg/m ³ , 200 ppm	
TLV (USA) STEL: 300 ppm TWA: 200 ppm BEI 108-65-6 2-metboxy-1-methylethyl acetate EL (Canada) STEL: 75 ppm TWA: 50 ppm EV (Canada) TWA: 270 mg/m³, 50 ppm WEEL (USA) TWA: 50 ppm Ingredients with biological limit values: 67-63-0 propan-2-ol BEI (USA) 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) 67-64-1 acetone BEI (USA) BEI (USA) 25 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific) 78-93-3 butanove BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Methyl ethyl ketone (nonspecific) Rel (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Methyl ethyl ketone (nonspecific) Additional information: The lists that were valid during the creation were used as basis. Personal protective equipment General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.	REL (USA)		
TWA: 200 ppm BEI 108-65-6 2-methoxy-1-methylethyl acetate EL (Canada) STEL: 75 ppm TWA: 50 ppm EV (Canada) TWA: 270 mg/m³, 50 ppm WEEL (USA) TWA: 50 ppm Ingredients with biological limit values: 67-63-0 propan-2-ol BEI (USA) 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) 67-64-1 acetone 8EI (USA) BEI (USA) 25 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific) 78-93-3 butanone 8EI (USA) BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Methyl ethyl ketone (nonspecific) Additional information: The lists that were valid during the creation were used as basis. Personal protective equipment General protective equipment General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.			
BEI 108-65-6 2-methoxy-1-methylethyl acetate EL (Canada) STEL: 75 ppm TWA: 50 ppm EV (Canada) TWA: 50 ppm WEEL (USA) TWA: 50 ppm Ingredients with biological limit values: 67-63-0 propan-2-01 BEI (USA) 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) 67-64-1 acetone BEI (USA) 25 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific) 78-93-3 butanone BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific) 78-93-3 butanone BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Methyl ethyl ketone (nonspecific) Additional information: The lists that were valid during the creation were used as basis. Personal protective equipment General protective equipment General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.	TLV (USA)		
108-65-6 2-methoxy-1-methylethyl acetate EL (Canada) STEL: 75 ppm TWA: 50 ppm EV (Canada) TWA: 270 mg/m³, 50 ppm WEEL (USA) TWA: 50 ppm Ingredients with biological limit values: 67-63-0 propan-2-01 BEI (USA) 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) 67-64-1 acetone BEI (USA) 25 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific) 78-93-3 butanome BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific) 78-93-3 butanome BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Methyl ethyl ketone (nonspecific) Additional information: The lists that were valid during the creation were used as basis. Personal protective equipment General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soled and contaminated clothing. Wash hands before breaks and at the end of work.			
EL (Canada) STEL: 75 ppm TWA: 50 ppm EV (Canada) TWA: 270 mg/m³, 50 ppm WEEL (USA) TWA: 50 ppm Ingredients with biological limit values: 67-63-0 propan-2-ol BEI (USA) 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) 67-64-1 acetone BEI (USA) 25 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific) 78-93-3 butanone BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific) 78-93-3 butanone BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Methyl ethyl ketone (nonspecific) Additional information: The lists that were valid during the creation were used as basis. Personal protective equipment General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.	108-65-6 2-m		
EV (Canada) TWA: 270 mg/m³, 50 ppm WEEL (USA) TWA: 50 ppm Ingredients with biological limit values: 67-63-0 propan-2-ol BEI (USA) 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) 67-64-1 acetone BEI (USA) 25 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific) 78-93-3 butanone BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific) 78-93-3 butanone BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Methyl ethyl ketone (nonspecific) Additional information: The lists that were valid during the creation were used as basis. Personal protective equipment General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.		STEL: 75 ppm	
WEEL (USA) TWA: 50 ppm Ingredients with biological limit values: 67-63-0 propan-2-ol BEI (USA) 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) 67-64-1 acetone BEI (USA) 25 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific) 78-93-3 butanone BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific) 78-93-3 butanone BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Methyl ethyl ketone (nonspecific) 78-93-3 butanone BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Methyl ethyl ketone (nonspecific) 78-93-3 butanone BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Methyl ethyl ketone (nonspecific) 78-93-90-90-90-90-90-90-90-90-90-90-90-90-90-		**	
Ingredients with biological limit values: 67-63-0 propan-2-ol BEI (USA) 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) 67-64-1 acetone BEI (USA) 25 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific) 78-93-3 butanone BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific) 78-93-3 butanone BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Methyl ethyl ketone (nonspecific) Additional information: The lists that were valid during the creation were used as basis. Personal protective equipment General protective equipment General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work.	· · · · · ·		
67-63-0 propan-2-ol BEI (USA) 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) 67-64-1 acetone BEI (USA) 25 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific) 78-93-3 butanone BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific) 78-93-3 butanone BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Methyl ethyl ketone (nonspecific) Additional information: The lists that were valid during the creation were used as basis. Personal protective equipment General protective equipment General protocetive and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.	WEEL (USA) TWA: 50 ppm	
BEI (USA) 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) 67-64-1 acetone BEI (USA) 25 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific) 78-93-3 butanone BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific) 78-93-3 butanone BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Methyl ethyl ketone (nonspecific) Additional information: The lists that were valid during the creation were used as basis. Personal protective equipment General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.	8	5	
Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) 67-64-1 acetone BEI (USA) 25 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific) 78-93-3 butanone BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific) 78-93-3 butanone BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Methyl ethyl ketone (nonspecific) Additional information: The lists that were valid during the creation were used as basis. Personal protective equipment General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.			
Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) 67-64-1 act-to-to-to-to-to-to-to-to-to-to-to-to-to			
Parameter: Acetone (background, nonspecific) 67-64-1 acetone BEI (USA) 25 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific) 78-93-3 but=none BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Methyl ethyl ketone (nonspecific) Additional information: The lists that were valid during the creation were used as basis. Personal protective equipment General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.			
67-64-1 acetone BEI (USA) 25 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific) 78-93-3 butanone BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Methyl ethyl ketone (nonspecific) Additional information: The lists that were valid during the creation were used as basis. Personal protective equipment General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.			
Medium: urine Time: end of shift Parameter: Acetone (nonspecific) 78-93-3 butanone BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Methyl ethyl ketone (nonspecific) Additional information: The lists that were valid during the creation were used as basis. Personal protective equipment General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.			
Time: end of shift Parameter: Acetone (nonspecific) 78-93-3 but=none BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Methyl ethyl ketone (nonspecific) Additional information: The lists that were valid during the creation were used as basis. Personal protective equipment General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.			
Parameter: Acetone (nonspecific) 78-93-3 but=none BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Methyl ethyl ketone (nonspecific) Additional information: The lists that were valid during the creation were used as basis. Personal protective equipment General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.			
78-93-3 butanone BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Methyl ethyl ketone (nonspecific) Additional information: The lists that were valid during the creation were used as basis. Personal protective equipment General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.			
BEI (USA) 2 mg/L Medium: urine Time: end of shift Parameter: Methyl ethyl ketone (nonspecific) Additional information: The lists that were valid during the creation were used as basis. Personal protective equipment General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.			
Medium: urine Time: end of shift Parameter: Methyl ethyl ketone (nonspecific) Additional information: The lists that were valid during the creation were used as basis. Personal protective equipment General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.			
Parameter: Methyl ethyl ketone (nonspecific) Additional information: The lists that were valid during the creation were used as basis. Personal protective equipment General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.			
Additional information: The lists that were valid during the creation were used as basis. Personal protective equipment General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.			
Personal protective equipment General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.			
General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.		6	
Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.			
Immediately remove all soiled and contaminated clothing.			
	Immediately	remove all soiled and contaminated clothing.	
	Wash hands b	before breaks and at the end of work.	

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® SOLVENT CLEANER - C101 STANDARD

(Contd. of page 5)

Store protective clothing separately.

- Avoid contact with the eyes and skin.
- Breathing equipment: Use suitable respiratory protective device in case of insufficient ventilation.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves:

Butyl rubber, BR

Nitrile rubber, NBR • Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Form:	Liquid Under Pressure
· Color:	Colorless
· Odor:	Solvent-like
· Odor threshold:	Not determined.
· <u>pH-value:</u>	Not determined.
Change in condition	
Melting point/Melting range:	-95.3 °C
Boiling point/Boiling range:	>56 °C
· <u>Flash point:</u>	-104 °C (Prop. (-17 °C liq.))
· Flammability (solid, gaseous):	Extremely flammable liquefied gas.
· Ignition temperature:	210 °C
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits	
Lower:	0.5 Vol %
Upper:	13 Vol %
• <u>Vapor pressure at 20 °C:</u>	233 hPa
· Density at 20 °C:	0.8 g/cm ³
· Relative density:	Not determined.
 Vapor density at 20 °C: 	4.6 (AIR=1)
• Evaporation rate:	Not applicable.
	(Contd. on page 7)

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® SOLVENT CLEANER – C101 STANDARD

			(Contd. of page 6
Solubility in / Miscibility with Water:	<u>n</u> Partly miscible.		
• Partition coefficient (n-octane	ol/water): Not determined.		
· <u>Viscosity:</u> Dynamic: Kinematic:	Not determined. Not determined.		
• Other information	VOC Content: VOC %: HAP Content MIR Value	693.090 g/l >99 % 154.020 g/l 2.472 g O ₃ /g	

10 Stability and reactivity

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions: No dangerous reactions known.

· Conditions to avoid: No further relevant information available.

- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects:
- · Acute toxicity
- · Specific symptoms in biological assay: No further relevant information available.
- Primary irritant effect
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

67-63-0 propan-2-ol

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems
- · Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.

(Contd. on page 8)

3

[•] CA -

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® SOLVENT CLEANER – C101 STANDARD

· Additional ecological information

- General notes:
- Water hazard class 3 (Self-assessment): extremely hazardous for water
- Do not allow product to reach ground water, water course or sewage system, even in small quantities.
- Danger to drinking water if even extremely small quantities leak into the ground.
- Other adverse effects: No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings

· Recommendation:

Place in a sealed container and label as waste. Place in a safe area, and comply with all federal, state, provincial and local regulations for disposal.

· <u>UN-Number</u> · DOT/TDG, ADR, IMDG, IATA	UN1950	
· UN proper shipping name		
· DOT/TDG	Aerosols, flammable	
· ADR	1950 AEROSOLS	
· IMDG	AEROSOLS	
·IATA	AEROSOLS, flammable	
 <u>Transport hazard class(es)</u> DOT/TDG (Transport dangerous good 	s):	
· Class	2.1 Gases	
· Label		
	2.1 Gases	
· Label	2.1 Gases	

(Contd. of page 7)

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® SOLVENT CLEANER – C101 STANDARD

	(Contd. of page
IMDG, IATA	
Class Label	2.1 Gases 2.1
<u>Packing group</u> DOT/TDG, ADR, IMDG, IATA	Not regulated
Environmental hazards: Marine pollutant:	No
Special precautions for user:	Warning: Gases
Hazard identification number (Kemler code	
EMS Number: Stowage Code	F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litro Category A. For AEROSOLS with a capacity above 1 litro Category B. For WASTE AEROSOLS: Category C, Clear of
Segregation Code	living quarters.SG69 For AEROSOLS with a maximum capacity of 1 litre:Segregation as for class 9. Stow "separated from" class 1 exceptor division 1.4.For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
Transport in bulk according to Annex II of	Segregation as for the appropriate subdivision of class 2.
MARPOL73/78 and the IBC Code:	Not applicable.
Transport/Additional information:	
DOT/TDG Quantity limitations	On passenger aircraft/rail: 75 kg
Remarks:	On cargo aircraft only: 150 kg This product may be shipped according to the Limited Quantit Exceptions provided that all Limited Quantity shippin requirements are met.
ADR	This product may be shipped according to the Limited Quantit Exceptions provided that all Limited Quantity shippin requirements are met.
Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
IMDG	
Limited quantities (LQ)	
Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
Remarks:	This product may be shipped according to the Limited Quantity Exceptions provided that all Limited Quantity shippin requirements are met.
	(Contd. on page 1

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® SOLVENT CLEANER – C101 STANDARD

(Contd. of page 9)

·IATA

· Remarks:

This product may be shipped according to the Limited Quantity Exceptions provided that all Limited Quantity shipping requirements are met.

· UN "Model Regulation":

UN 1950 AEROSOLS, 2.1

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

67-63-0 propan-2-ol

· TSCA (Toxic Substances Control Act):

All ingredients are listed or exempted

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Canadian substance listings

· Canadian Domestic Substances List (DSL/NDSL):

All ingredients are listed.

· Canadian Non-Domestic Substances List (NDSL)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed.

• Canadian Ingredient Disclosure list (limit 1%):

67-63-0 propan-2-ol

67-64-1 acetone

78-93-3 butanone

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 11)

-CA-

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® SOLVENT CLEANER – C101 STANDARD

(Contd. of page 10) · Hazard pictograms GHS04 GHS07 GHS02 GHS08 · Signal word Danger · Hazard-determining components of labeling: propan-2-ol acetone butanone · Hazard statements H222-H229 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated. H319 Causes serious eye irritation. H370 Causes damage to organs. H336 May cause drowsiness or dizziness.

16 Other information

This SDS format meets ANSI Z400.1-2010, OSHA 1910.1200 and WHMIS requirements. Kemper System America, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Product use and conditions of use are beyond the control of Kemper System America, Inc. Warranty of materials is limited to test results of product performance as detailed in certificates of compliance. Interpretation of test results is the responsibility of end-user. No other warranties, expressed or implied, are made. Kemper System America, Inc is an ISO 9001:2015 and ISO 14001:2015 registered company.

- · Department issuing SDS: Product safety department
- · <u>Contact:</u> Stephen Nowicki
- · Date of the latest revision of the safety data sheet 07/13/2022 / 2
- Abbreviations and acronyms:
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)