

Printing date 07/13/2022 Reviewed on 07/13/2022

1 Identification

· Product identifier: P101S-A

· Trade name: CANTESCO® VISIBLE DYE PENETRANT P101S – SOLVENT REMOVABLE

· Item number(s): P101S-A

· SDS Number: 36

· **UPC bar code(s):** 699913-10020

· Application of the substance / the mixture DYE PENETRANT

· Manufacturer/Supplier: WWW.CANTESCO.COM

USA ADDRESS:

KEMPER SYSTEM AMERICA, INC. 1200 NORTH AMERICA DR, WEST SENECA, NY 14224

PH (716) 558-2971

CANADIAN ADDRESS:

ASTARAS CANADA, INC.

4-7075 EDWARDS BLVD

MISSISSAUGA, ONTARIO, L5S 1Z2

PH (905) 624-5463

· Information department:

Tel: (716) 558-2971 ext. 228

www.cantesco.com

· Emergency telephone number:

ChemTrec (800) 424-9300 / 1-(703)-741-5970

Canada only: CANUTEC (Call collect) (613) 996-6666

2 Hazard identification

· Classification of the substance or mixture:



GHS02 Flame

Flammable Aerosols - Category 1 H222-H229 Extremely flammable aerosol. Pressurized container: may burst if heated.



GHS04 Gas cylinder

Gases Under Pressure - Compressed Gas H280 Contains gas under pressure; may explode

if heated.

GHS08 Health hazard

Carcinogenicity – Category 2 H351 Suspected of causing cancer.

(Contd. on page 2)

Printing date 07/13/2022 Reviewed on 07/13/2022

Trade name: CANTESCO® VISIBLE DYE PENETRANT P101S – SOLVENT REMOVABLE

(Contd. of page 1) Specific Target Organ Toxicity - Single Exposure -H370-H371 Causes damage to the blood. May cause Category 1 damage to the eyes. Specific Target Organ Toxicity - Repeated Exposure -H372-H373 Causes damage to the eyes through prolonged or repeated exposure. May Category 1 cause damage to the lung and the respiratory tract through prolonged or repeated exposure. Aspiration Hazard - Category 1 H304 May be fatal if swallowed and enters airways.



Eye Irritation - Category 2A H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure - H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Signal word: Danger

· Hazard-determining components of labeling:

Solvent naphtha (petroleum), heavy arom.

Proprietary Red Dye

· Hazard statements:

H222-H229 Extremely flammable aerosol.

H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eye irritation. H351 Suspected of causing cancer.

H370-H371 Causes damage to the blood. May cause damage to the eyes.

H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

H372-H373 Causes damage to the eyes through prolonged or repeated exposure. May cause damage to the lung and the respiratory tract through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways.

· Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use. P260 Do not breathe mist/vapors/spray.

P262 Do not get in eyes, on skin, or on clothing.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 If swallowed: Immediately call a doctor.

P331 Do NOT induce vomiting.

P304+P312 IF INHALED: Call a POISON CENTER/doctor if you feel unwell.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P311 IF exposed or concerned: Call a doctor.

(Contd. on page 3)

Printing date 07/13/2022 Reviewed on 07/13/2022

Trade name: CANTESCO® VISIBLE DYE PENETRANT P101S – SOLVENT REMOVABLE

(Contd. of page 2)

P314 Get medical advice/attention if you feel unwell.
P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Information pertaining to particular dangers for man and environment:

· NFPA ratings (scale 0 - 4):



3 Composition/Information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
64742-94-5	Solvent naphtha (petroleum), heavy arom.	60-80% w/w *
68476-86-8	Petroleum gases, liquefied, sweetened	10-30% w/w *
112-34-5	2-(2-butoxyethoxy)ethanol	10% w/w
	Proprietary Red Dye	1-5% w/w *

^{*} Actual concentration ranges are withheld as a trade secret.

4 First-aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Generally the product does not irritate the skin.

· After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.

Rinse opened eye for several minutes under running water.

- After swallowing: Rinse mouth, do not induce vomiting, Immediately call a poison center / doctor.
- Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-fighting measures

- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture: No further relevant information available.

(Contd. on page 4)

Printing date 07/13/2022 Reviewed on 07/13/2022

Trade name: CANTESCO® VISIBLE DYE PENETRANT P101S - SOLVENT REMOVABLE

(Contd. of page 3)

· Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling
- · Precautions for safe handling:

Ensure precautions are taken to eliminate potential sources of ignition during use. It is recommended to use static grounding and bonding equipment to eliminate static problems. Additionally, these products should never be applied on or near live circuits or energized equipment.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

· Information about protection against explosions and fires:

Do not spray on a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights.

Do not pierce or burn, even after use.

- ·Storage
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Do not gas tight seal receptacle.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s): No further relevant information available.

8 Exposure controls/ Personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 5)

Printing date 07/13/2022 Reviewed on 07/13/2022

Trade name: CANTESCO® VISIBLE DYE PENETRANT P101S - SOLVENT REMOVABLE

(Contd. of page 4)

· Component	s with limit values that require monitoring at the workplace:	107
112-34-5 2-(2-butoxyethoxy)ethanol	
	TWA: 10* ppm *Inhalable fraction and vapor	

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

- Breathing equipment: Use suitable respiratory protective device in case of insufficient ventilation.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves: Nitrile rubber, NBR Butyl rubber, BR

· Eye protection:



Tightly sealed goggles

9 Physical	and	chei	mical	nro	nerties
2 I Hysical	l allu	CHE	micai	DI O	ner mes

· Form:	Liquid Under Pressure
· Color:	Dark red
· Odor:	Aromatic
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	-68.3 °C
Boiling point/Boiling range:	>230 °C
· Flash point:	-104 °C (Prop. (28.3°C liq.))
· Flammability (solid, gaseous):	Extremely flammable liquefied gas.
· Ignition temperature:	227.8 °C
· Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits	
Lower:	0.9 Vol %
Upper:	24.6 Vol %
· Vapor pressure at 20 °C:	70 hPa
· Density at 20 °C:	0.775 g/cm ³
Relative density:	Not determined.
Vapor density at 20 °C:	5.58 (AIR=1)

(Contd. on page 6)

Printing date 07/13/2022 Reviewed on 07/13/2022

Trade name: CANTESCO® VISIBLE DYE PENETRANT P101S – SOLVENT REMOVABLE

			(Contd. of page 5)	
· Evaporation rate:	Not applicable.			
· Solubility in / Miscibility with	1			
Water:	Emulsifiable.	Emulsifiable.		
Partition coefficient (n-octano	ol/water): Not determined.			
· Viscosity:				
Dynamic:	Not determined.			
Kinematic:	Not determined.	Not determined.		
· Other information	VOC Content:	763.954 g/l		
	VOC %:	99% (Wt)		
	HAP Content:	6.133 g/l		
	MIR Value:	5.946 g O₃/g		

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects:
- · Acute toxicity
- · Primary irritant effect
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Additional ecological information
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 7)

Printing date 07/13/2022 Reviewed on 07/13/2022

Trade name: CANTESCO® VISIBLE DYE PENETRANT P101S – SOLVENT REMOVABLE

(Contd. of page 6)

Danger to drinking water if even small quantities leak into the ground.

· Other adverse effects: No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings
- · Recommendation:

Place in a sealed container and label as waste. Place in a safe area, and comply with all federal, state, provincial and local regulations for disposal.

14 Transport information

٠	UN	-N	um	ber

· DOT/TDG, ADR, IMDG, IATA

UN1950

· UN proper shipping name

 \cdot **DOT/TDG**

Aerosols

· ADR

1950 AEROSOLS

· IMDG, IATA AEROSOLS

- · Transport hazard class(es)
- · DOT/TDG (Transport dangerous goods):



· Class

2.1 Gases

·Label

2.1

 $\cdot \, ADR$





· Class

2 Gases

· Label

2.1

· IMDG, IATA



· Class

2.1 Gases

·Label

2.1

· Packing group

· DOT/TDG, ADR, IMDG, IATA

Not regulated

(Contd. on page 8)

Printing date 07/13/2022 Reviewed on 07/13/2022

Trade name: CANTESCO® VISIBLE DYE PENETRANT P101S – SOLVENT REMOVABLE

	(Contd. of page
Environmental hazards: Marine pollutant: Special marking (ADR):	No Symbol (fish and tree)
Special precautions for user:	Warning: Gases
Hazard identification number (Kemler	
EMS Number:	F-D,S-U
Stowage Code	SW1 Protected from sources of heat.
Segregation Code	SW22 For AEROSOLS with a maximum capacity of 1 litre Category A. For AEROSOLS with a capacity above 1 litre Category B. For WASTE AEROSOLS: Category C, Clear o living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 exceptor division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class 2.
Transport in bulk according to Annex I MARPOL73/78 and the IBC Code:	I of Not applicable.
Transport/Additional information:	
DOT/TDG	
Quantity limitations	On passenger aircraft/rail: Forbidden On cargo aircraft only: Forbidden
Remarks:	This product may be shipped according to the Limited Quantity Exceptions provided that all Limited Quantity shipping requirements are met.
ADR	This product may be shipped according to the Limited Quantity Exceptions provided that all Limited Quantity shipping requirements are met.
Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E0
Remarks:	Not permitted as Excepted Quantity This product may be shipped according to the Limited Quantity Exceptions provided that all Limited Quantity shipping requirements are met.
IATA Remarks:	This product may be shipped according to the Limited Quantity Exceptions provided that all Limited Quantity shipping requirements are met.

Reviewed on 07/13/2022 Printing date 07/13/2022

Trade name: CANTESCO® VISIBLE DYE PENETRANT P101S - SOLVENT REMOVABLE

(Contd. of page 8)

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- ·Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

112-34-5 2-(2-butoxyethoxy)ethanol

· TSCA (Toxic Substances Control Act):

All ingredients are listed or exempted

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Canadian substance listings

· Canadian Domestic Substances List (DSL/NDSL):

All ingredients are listed.

· Canadian Non-Domestic Substances List (NDSL)

None of the ingredients is listed.

Canadian Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%):

112-34-5 2-(2-butoxyethoxy)ethanol

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms









GHS02

GHS04 GHS07

GHS08

· Signal word Danger

· Hazard-determining components of labeling:

Solvent naphtha (petroleum), heavy arom.

Proprietary Red Dye

Hazard statements

H222-H229 Extremely flammable aerosol.

Contains gas under pressure; may explode if heated. H280

H319 Causes serious eye irritation.

Suspected of causing cancer. H351

H370-H371 Causes damage to the blood. May cause damage to the eyes.

(Contd. on page 10)

Printing date 07/13/2022 Reviewed on 07/13/2022

Trade name: CANTESCO® VISIBLE DYE PENETRANT P101S – SOLVENT REMOVABLE

(Contd. of page 9)

H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

H372-H373 Causes damage to the eyes through prolonged or repeated exposure. May cause damage to the lung and the respiratory tract through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways.

16 Other information

This SDS format meets ANSI Z400.1-2010, OSHA 1910.1200 and WHMIS requirements. Kemper System America, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Product use and conditions of use are beyond the control of Kemper System America, Inc. Warranty of materials is limited to test results of product performance as detailed in certificates of compliance. Interpretation of test results is the responsibility of end-user. No other warranties, expressed or implied, are made. Kemper System America, Inc is an ISO 9001:2015 and ISO 14001:2015 registered company.

- · Department issuing SDS: Product safety department
- · Contact: Stephen Nowicki
- · Date of the latest revision of the safety data sheet 07/13/2022 / 1
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

CA -