

Printing date 03/07/2023

Reviewed on 03/07/2023

1 Identification

- · Product identifier: P301W-A
- · Trade name: CANTESCO® VISIBLE DYE PENETRANT P301W WATER WASHABLE
- · Item number(s): P301W-A
- · SDS Number: 37
- · UPC bar code(s): 699913-10025
- \cdot Application of the substance / the mixture <code>DYE PENETRANT</code>
- Manufacturer/Supplier: WWW.CANTESCO.COM

USA ADDRESS: KEMPER SYSTEM AMERICA, INC. 1200 NORTH AMERICA DR, WEST SENECA, NY 14224 PH (716) 558-2971

CANADIAN ADDRESS: ASTARAS CANADA, INC. 4-7075 EDWARDS BLVD MISSISSAUGA, ONTARIO, L5S 1Z2 PH (905) 624-5463

- **Information department:** Tel: (716) 558-2971 ext. 228 www.cantesco.com
- Emergency telephone number: ChemTrec (800) 424-9300 / 1-(703)-741-5970 Canada only: CANUTEC (Call collect) (613) 996-6666

2 Hazard identification

GHS02 Flame		
Flammable Aerosols - Category 1		Extremely flammable aerosol. Pressurized container: ma burst if heated.
GHS04 Gas cylinder		
Gases Under Pressure - Compressed Gas	H280	Contains gas under pressure; may explode if heated.
GHS08 Health hazard		
Carcinogenicity - Category 1A	H350	May cause cancer.
Aspiration Hazard - Category 1	H304	May be fatal if swallowed and enters airways.
Label elements		
	ified and lab	eled according to the Globally Harmonized System (GHS)
Signal word: Danger		(Contd. on page

Printing date 03/07/2023

Reviewed on 03/07/2023

Trade name: CANTESCO® VISIBLE DYE PENETRANT P301W – WATER WASHABLE

	naphtha (petroleum), heavy arom.
naphthal	
ethylben	
	statements:
	229 Extremely flammable aerosol.
H280	Contains gas under pressure; may explode if heated.
H350	May cause cancer.
H304	May be fatal if swallowed and enters airways.
	ionary statements:
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P3	310 If swallowed: Immediately call a poison center/doctor.
P331	Do NOT induce vomiting.
P308+P3	313 IF exposed or concerned: Get medical advice/attention.
P405	Store locked up.
P410+P4	03 Protect from sunlight. Store in a well-ventilated place.
P410+P4	12 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Informa	tion pertaining to particular dangers for man and environment:
NFPA r	atings (scale 0 - 4):
	Health $= 2$
4	\bigcap Fire = 4

3 Composition/Information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous	components:	
64742-94-5	Solvent naphtha (petroleum), heavy arom.	40-70% w/w *
74-98-6	propane	10-30% w/w *
106-97-8	butane	≤10% w/w
75-28-5	isobutane	≤10% w/w
68412-54-4	Polyoxyethylene (9) nonylphenylether, branched	1-5% w/w *
100-41-4	ethylbenzene	0.1-≤1% w/w *
* Actual con	centration ranges are withheld as a trade secret.	

(Contd. on page 3)

CA

Printing date 03/07/2023

Reviewed on 03/07/2023

Trade name: CANTESCO® VISIBLE DYE PENETRANT P301W – WATER WASHABLE

(Contd. of page 2)

4 First-aid measures

· After inhalation:

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/ physician if you feel unwell.

· After skin contact:

Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.

· After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.

- · After swallowing: Do not induce vomiting, Immediately call a poison center/ doctor.
- Most important symptoms and effects, both acute and delayed: No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

5 Fire-fighting measures

- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture: No further relevant information available.
- Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

• Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· <u>Reference to other sections:</u>

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

· Precautions for safe handling:

Ensure precautions are taken to eliminate potential sources of ignition during use. It is recommended to use static grounding and bonding equipment to eliminate static problems. Additionally, these products should never be applied on or near live circuits or energized equipment.

Ensure good ventilation/exhaustion at the workplace.

- Open and handle receptacle with care.
- · Information about protection against explosions and fires:
- Do not spray on a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

(Contd. on page 4)

⁻ CA

(Contd. of page 3)

Safety Data Sheet according to HPR & OSHA

Printing date 03/07/2023

Reviewed on 03/07/2023

Trade name: CANTESCO® VISIBLE DYE PENETRANT P301W – WATER WASHABLE

Protect against electrostatic charges.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

· Storage

• Requirements to be met by storerooms and receptacles: Store in a cool location. Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Not required.
- \cdot Further information about storage conditions:

Keep receptacle tightly sealed.

Do not gas tight seal receptacle.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

• **Specific end use(s):** No further relevant information available.

8 Exposure controls/ Personal protection

• Additional information about design of technical systems: No further data; see item 7.

· <u>Components</u>	with limit values that require monitoring at the workplace:
74-98-6 prop	ane
EL (Canada)	Long-term value: 1000 ppm
EV (Canada)	Long-term value: 1,000 ppm
PEL (USA)	Long-term value: 1800 mg/m ³ , 1000 ppm
REL (USA)	Long-term value: 1800 mg/m ³ , 1000 ppm
TLV (USA)	refer to Appendix F inTLVs&BEIs book; NIC-EX
106-97-8 but	ane
EL (Canada)	Short-term value: 750 ppm Long-term value: 600 ppm
EV (Canada)	Long-term value: 800 ppm
REL (USA)	Long-term value: 1900 mg/m ³ , 800 ppm
TLV (USA)	Short-term value: (2370) mg/m ³ , (1000) ppm NIC-EX
75-28-5 isobu	itane
EV (Canada)	Long-term value: 800 ppm
TLV (USA)	Short-term value: (2370) mg/m ³ , (1000) ppm NIC-EX
100-41-4 ethy	lbenzene
EL (Canada)	Long-term value: 20 ppm IARC 2B
EV (Canada)	Short-term value: 540 mg/m ³ , 125 ppm Long-term value: 435 mg/m ³ , 100 ppm
PEL (USA)	Long-term value: 435 mg/m ³ , 100 ppm
REL (USA)	Short-term value: 545 mg/m ³ , 125 ppm Long-term value: 435 mg/m ³ , 100 ppm
TLV (USA)	Long-term value: 87 mg/m ³ , 20 ppm BEI
	(Contd. on page

Printing date 03/07/2023

Reviewed on 03/07/2023

Trade name: CANTESCO® VISIBLE DYE PENETRANT P301W – WATER WASHABLE

	(Contd. of page 4
8	ts with biological limit values:
100-41-4 e	thylbenzene
BEI (USA)	0.7 g/g creatinine
	Medium: urine
	Time: end of shift at end of workweek
	Parameter: Sum of mandelic acid and phenylglyoxylic acid (nonspecific, semi-quantitative)
	-
	Medium: end-exhaled air
	Time: not critical
	Parameter: Ethyl benzene (semi-quantitative)
· Additiona	l information: The lists that were valid during the creation were used as basis.
· Personal p	protective equipment
	rotective and hygienic measures:
	r from foodstuffs, beverages and feed.
	Is before breaks and at the end of work.
0	equipment: Use suitable respiratory protective device in case of insufficient ventilation.
 Protection 	
	material has to be impermeable and resistant to the product/ the substance/ the preparation.
 Material o 	
Butyl rubb	
Nitrile rub	
• Eye prote	ction:
	Tightly sealed goggles

9 Physical and chemical properties

· Form:	Liquid Under Pressure
Color:	Dark red
· Odor:	Aromatic
· Odor threshold:	Not determined.
· pH-value:	Not determined.
 <u>Change in condition</u> Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. 132 °C
• <u>Flash point:</u>	<-18 °C
· Flammability (solid, gaseous):	Extremely flammable liquefied gas.
Auto igniting:	365 °C
· Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
	(Contd. on page 6)

Printing date 03/07/2023

Reviewed on 03/07/2023

Trade name: CANTESCO® VISIBLE DYE PENETRANT P301W – WATER WASHABLE

		(Contd. of page 5
· Explosion limits		
Lower:	1.5 Vol %	
Upper:	10.9 Vol %	
· Vapor pressure at 20 °C:	8300 hPa	
· Density at 20 °C:	0.777 g/cm ³	
Relative density:	Not determined.	
· Vapor density at 20 °C:	>1 (AIR=1)	
• Evaporation rate:	Not applicable.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wa	ater): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Other information	Percent Volatile: 99.50 % wt	
	Percent VOC: 95.42 % wt	
	Percent HAP: 7.91 % wt	

10 Stability and reactivity

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- **Possibility of hazardous reactions:** No dangerous reactions known.
- \cdot **<u>Conditions to avoid:</u>** No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects:
- · Acute toxicity
- · Primary irritant effect
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

100-41-4 ethylbenzene

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

· Aquatic toxicity: No further relevant information available.

· Persistence and degradability: No further relevant information available.

(Contd. on page 7)

2B

CA

Printing date 03/07/2023

Reviewed on 03/07/2023

Trade name: CANTESCO® VISIBLE DYE PENETRANT P301W – WATER WASHABLE

(Contd. of page 6)

· Behavior in environmental systems

- · Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- Additional ecological information

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Other adverse effects: No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings

· Recommendation:

Place in a sealed container and label as waste. Place in a safe area, and comply with all federal, state, provincial and local regulations for disposal.

[•] <u>UN-Number</u> • DOT/TDG, ADR, IMDG, IATA	UN1950	
· UN proper shipping name		
· DOT/TDG	Aerosols, flammable	
· ADR	1950 Aerosols	
· IMDG	AEROSOLS	
· IATA	AEROSOLS, flammable	
· DOT/TDG (Transport dangerous good	s):	
• DOT/TDG (Transport dangerous good	s): 2.1 Gases 2.1	
	2.1 Gases	

Printing date 03/07/2023

Reviewed on 03/07/2023

Trade name: CANTESCO® VISIBLE DYE PENETRANT P301W – WATER WASHABLE

	(Contd. of page
Label	2.1
IMDG	
Class Label	2.1 Gases 2.1
IATA	2.1
2	
Class	2.1 Gases
Label	2.1 Gases 2.1
Packing group	
DOT/TDG, ADR, IMDG, IATA	Not regulated
Environmental hazards:	Product contains environmentally hazardous substance
	naphthalene
Marine pollutant:	No Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
Special precautions for user:	Warning: Gases
Hazard identification number (Kemler cod	
EMS Number: Stowage Code	F-D,S-U SW1 Protected from sources of heat.
Slowage Coue	SW22 For AEROSOLS with a maximum capacity of 1 litr
	Category A. For AEROSOLS with a capacity above 1 litr
	Category B. For WASTE AEROSOLS: Category C, Clear
Segregation Code	living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre:
Segrégation Coue	Segregation as for class 9. Stow "separated from" class 1 exce
	for division 1.4.
	For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2.
	For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class 2.
Transport in bulk according to Annex II of	f
MARPOL73/78 and the IBC Code:	Not applicable.
Transport/Additional information:	
DOT/TDG	
Quantity limitations	On passenger aircraft/rail: 75 kg
	On cargo aircraft only: 150 kg
	(Contd. on page

Printing date 03/07/2023

Reviewed on 03/07/2023

Trade name: CANTESCO® VISIBLE DYE PENETRANT P301W – WATER WASHABLE

	(Contd. of page
Remarks:	This product may be shipped according to the Limited Quantit Exceptions provided that all Limited Quantity shippin requirements are met.
ADR	This product may be shipped according to the Limited Quantit Exceptions provided that all Limited Quantity shippin requirements are met.
Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
Remarks:	This product may be shipped according to the Limited Quantit Exceptions provided that all Limited Quantity shippin requirements are met.
ΙΑΤΑ	
Remarks:	This product may be shipped according to the Limited Quantit Exceptions provided that all Limited Quantity shippin requirements are met.
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

100-41-4 ethylbenzene

• TSCA (Toxic Substances Control Act):

All ingredients are listed or exempted

· Proposition 65

· Chemicals known to cause cancer:

100-41-4 ethylbenzene

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Canadian substance listings

· Canadian Domestic Substances List (DSL/NDSL):

All ingredients are listed.

(Contd. on page 10)

CA

Printing date 03/07/2023

Reviewed on 03/07/2023

Trade name: CANTESCO® VISIBLE DYE PENETRANT P301W – WATER WASHABLE

(Contd. of page 9)

hylbenzene ngredient Disclosure list (limit 1%): utane elements The product is classified and labeled according to the Globally Harmonized System (GH tograms GHS04 GHS08
utane elements The product is classified and labeled according to the Globally Harmonized System (GH tograms
elements The product is classified and labeled according to the Globally Harmonized System (GH tograms
tograms
I Danger
ermining components of labeling:
htha (petroleum), heavy arom.
e
tements
Extremely flammable aerosol.
Contains gas under pressure; may explode if heated.
May cause cancer. May be fatal if swallowed and enters airways.
t

16 Other information

This SDS format meets ANSI Z400.1-2010, OSHA 1910.1200 and WHMIS requirements. Kemper System America, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Product use and conditions of use are beyond the control of Kemper System America, Inc. Warranty of materials is limited to test results of product performance as detailed in certificates of compliance. Interpretation of test results is the responsibility of end-user. No other warranties, expressed or implied, are made. Kemper System America, Inc is an ISO 9001:2015 and ISO 14001:2015 registered company.

- · Department issuing SDS: Product safety department
- · Contact: Stephen Nowicki
- Date of the latest revision of the safety data sheet 03/07/2023
- · Abbreviations and acronyms:
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)

CA -